Approved for use through 11/30/2011. OMB 0651-0035
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number			
CHANGE OF CORRESPONDENCE ADDRESS Application	Application Number	10/566,423 Based on PCT/EP2004/008	
	Filing Date	January 30, 2006	
	First Named Inventor	Thorsten Siess	
Address to: Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	Art Unit	ТВА	
	Examiner Name	ТВА	
	Attorney Docket Number	IMPEL-72926	

Please change the Correspondence Address for the above-identified patent application to:				
The address associated with Customer Number:	24201			
OR				
Firm or Individual Name				
Address				
City	Sta	ite	Zip	
Country				
Telephone		Email		
This form cannot be used to change the data associated with a Customer Number. To change the data associated with an existing Customer Number use "Request for Customer Number Data Change" (PTO/SB/124), I am the:				
Applicant/Inventor				
Assignee of record of the entire interest. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96).				
Attorney or agent of record. Registration Number 32989				
Registered practitioner named in the application transmittal letter in an application without an executed oath or declaration. See 37 CFR 1.33(a)(1). Registration Number				
Signature /Gunther O. Hanke/ Jahr. The				
Typed or Printed Name Gunther O. Hanke				
Date July 1, 2010		ephone (310) 824 5555		
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below*.				
7 Table of 1 Service and authorities				

This collection of Information is required by 37 CFR 1.33. The Information is required to obtain or retain a benefit by the public which is to file (and by the USFTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 27 CFR 1.11 and 1.14. The collection is estimated to bias 3 minutes to comprete, or the confidency of the confidency of the CFR 1.12 and 1.14. The collection is estimated to bias 2 minutes to comprete, or the confidency of the CFR 1.12 and 1.14. The collection is estimated to bias 2 minutes to comprete, or the confidency of the CFR 1.12 and 1.14. The collection is the confidency of the CFR 1.12 and 1.14. The collection is the confidency of the CFR 1.14 and 1.14. The collection is the collection of the CFR 1.14 and 1.14. The co